



NOTE: 1. GATE TO BE RECESSED BACK FROM ROAD SUFFICIENT DISTANCE TO ALLOW ANY VEHICLE USING THE DRIVEWAY TO STOP CLEAR OF THE ROAD TRAFFIC LANE WHILE THE GATE IS BEING OPENED OR CLOSED

- 2. ROADSIDE DRAINAGE SHALL BE RESHAPE TO ENSURE FREE DRAINING
- 3. THE VEHICLE CROSSING SURFACE SHALL BE SHAPED TO ENSURE SURFACE WATER DRAIN INTO EXISTING ROADSIDE. NOT INTO PROPERTY AND/OR ONTO THE CARRIAGEWAY.
- 3. SEALED SWALE DRAIN SHALL BE FORMED CORRECTED TO ENSURE WATER FREE DRAINING



## CROSS SECTION-WHERE THE PROPERTY IS LOWER THAN THE ROAD




CROSS SECTION-WHERE THE PROPERTY IS HIGHER THAN THE ROAD



WAITAKI DISTRICT COUNCIL STANDARD ROADING DETAILS

## **RURAL CROSSING - RESIDENTIA SWALE DRAIN**

	DATE 15/08/2016	SCALE	N/A
1/	drawing by TING GE	CHECK BY	G.B.
`_			REV
	DRAWING NUMBER T-VC-09		A



MIN 300mm ¢CONCRETE

CULVERT PIPE - MITRED END

WAITAKI DISTRICT COUNCIL STANDARD ROADING DETAILS

## Vaitaki DISTRICT COUNCIL STANDING TO THE PROPERTY OF THE PROPE **AND/OR INDUSTRIAL**

	15/08/2016	SCALE	N/A
	drawing by TING GE	CHECK BY	G.B.
'			REV
			+ Δ I

T-VC-10

**ELEVATION** 

DRAWING NUMBER

300mm Ø CONCRETE CULVERT

JOINT SHALL BE SEALED

TO ENSURE WATER TIGHT

DISTRICT COUNCIL TE KAUNIHERA Ā ROHE O WAITAKI

**CROSS SECTION**